

Committente : DR. CASTAGNETTI
 Localita : V.PRG TRAVERSETOLO
 Prova numero : 4
 Data : 2/5/94
 Operatore : DR. REBECCHI
 Quota : P.C.

Prof. [m]	P [Kg/cm ²]	P+L [Kg/cm ²]	Rp [Kg/cm ²]	R1 [Kg/cm ²]	Rp/R1
0.20					
0.40					
0.60	16.00	32.00	16.00	1.07	15.00
0.80	120.00		120.00		
1.00	28.00	36.00	28.00	0.53	52.50
1.20	100.00		100.00		
1.40	24.00	60.00	24.00	2.40	10.00
1.60	160.00		160.00		
1.80	80.00		80.00		
2.00	40.00	58.00	40.00	1.20	33.33
2.20	12.00	24.00	12.00	0.80	15.00
2.40	14.00	24.00	14.00	0.67	21.00
2.60	12.00	20.00	12.00	0.53	22.50
2.80	12.00	24.00	12.00	0.80	15.00
3.00	16.00	30.00	16.00	0.93	17.14
3.20	16.00	30.00	16.00	0.93	17.14
3.40	16.00	30.00	16.00	0.93	17.14
3.60	18.00	34.00	18.00	1.07	16.88
3.80	20.00	40.00	20.00	1.33	15.00
4.00	28.00	48.00	28.00	1.33	21.00
4.20	32.00	56.00	32.00	1.60	20.00
4.40	44.00	70.00	44.00	1.73	25.38
4.60	42.00	68.00	42.00	1.73	24.23
4.80	46.00	76.00	46.00	2.00	23.00
5.00	60.00	96.00	60.00	2.40	25.00
5.20	150.00	180.00	150.00	2.00	75.00
5.40	72.00	92.00	72.00	1.33	54.00
5.60	72.00	120.00	72.00	3.20	22.50
5.80	180.00		180.00		
6.00	48.00	96.00	48.00	3.20	15.00
6.20	48.00	72.00	48.00	1.60	30.00
6.40	32.00	52.00	32.00	1.33	24.00
6.60	32.00	54.00	32.00	1.47	21.82
6.80	38.00	56.00	38.00	1.20	31.67
7.00	80.00	100.00	80.00	1.33	60.00
7.20	40.00	88.00	40.00	3.20	12.50
7.40	100.00		100.00		
7.60	32.00	60.00	32.00	1.87	17.14
7.80	88.00	104.00	88.00	1.07	82.50
8.00	100.00		100.00		



intergeo s.r.l.

41100 MODENA - VIA A. NARDI, 35 - TEL. (059) 225504 - FAX (059) 220738

prova n° 4 quota P.C.

località V. PRG TRAVERSETOLO

committente DR. CASTAGNETTI

data 2/5/94 operatore DR. REBECCHI

PENETROMETRO STATICO GOUDA

resistenza laterale totale*

0 1000 2000 3000 4000 5000 6000 7000 8000 9000 kg

resistenza alla punta (Rp)

kg/cm²

Rp/rl

p.c.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24 m

intergeo s.r.l.

Via Nardi 35 - Tel. 059 225504 - MODENA

[Handwritten signature]